

Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

Reviewed on 6/12/15

## SAFETY DATA SHEET

### SECTION 1. Product and Company Identification

**PRODUCT NAME:** Alcohol Preparation Pads/Swab

**RECOMMENDED USE:** Topical skin antiseptic

**Product Code:** AM-20200, 1113, 1114, 1116, PK-1114


**Manufacturer's Name:** Dynarex Corporation

**Manufacturer's Address:** 10 Glenshaw Street  
Orangeburg, NY 10962

**Emergency or Information Phone No.:** 888-DYNAREX or 845-365-8200  
At other times, contact the local Poison Control Center

### SECTION 2. Hazards Identification

<u>Physical hazards</u>	Flammable solids	Category 1
<u>Health hazards</u>	Serious eye damage/eye irritation	Category 2A
<u>Environmental hazards</u>	Not determined.	
<u>OSHA defined hazards</u>	None additional.	



Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

Label elements



Signal word  
 Hazard statement

Danger  
 Flammable solid  
 Causes serious eye irritation

Precautionary statement

Prevention

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Use only in a well-ventilated area.

Response

If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. In case of fire: use appropriate media to extinguish.

Storage


Store in a well-ventilated place.

Disposal

Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise  
 Classified (HNOC)

None known.



Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

## Supplemental information

### Main Hazards:

Highly flammable; irritation to eyes; vapor may cause drowsiness and dizziness

### Absorption:

Eye contact; ingestion; inhalation; skin contact

### Carcinogenic Status:

Not considered carcinogenic by NTP, IARC, and OSHA

### Target Organs:

Central nerves system; skin; eye; liver; respiratory system

### Health Effects:

#### **Eyes**

Liquid, mist or vapor will cause conjunctival irritation and possible corneal damage.


#### **Skin**

Repeated or prolonged contact may produce defatting of the skin leading to irritation and dermatitis. Liquid may be absorbed through the skin but not in toxicologically significant amounts, unless the contact area is large and under prolonged exposure.

#### **Ingestion**

Swallowing a small amount may have the effect of any of these symptoms: irritation of mouth, throat, digestive tract, and central nerves system depression.

A large dose may have the effect of any of these symptoms: dizziness, drowsiness, headache, mental confusion, nerve damage leading to numbness and muscle weakness, fall of blood pressure, liver damage, lung damage.



Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

**Inhalation**

Exposure to vapor may have the effect of any of these symptoms: irritation of nose, throat and respiratory tract, central nerve system depression.

Exposure to vapor at high concentration may have the effects of any of these symptoms: dizziness, drowsiness, headache, mental confusion, lung damage, fall of blood pressure, liver damage, nerve damage leading to numbness and muscle weakness.

**SECTION 3. Composition/information on Ingredients**

Hazardous Ingredients (specific)	% Composition	CAS Number
Isopropyl Alcohol (2-Propanol)	70%	67-63-0
Inactive Ingredient		
Water	30%	7732-18-5

**SECTION 4. First-aid measures**

Eyes:


Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

Skin:

Immediately flood the affected skin area with large quantity of water, preferably under a shower. Remove contaminated clothing and continue washing. Contaminated clothing should be washed thoroughly before re-use. Obtain medical attention if blistering of the skin occurs or redness persists.

Ingestion:

Do not induce vomiting. Have victim drink several large glasses of water to dilute the stomach contents. Give the victim oxygen if he/she has difficulty in breathing. Obtain medical attention immediately.



Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

**Inhalation:**

Remove the victim from exposure immediately. Give the victim oxygen if he/she has difficulty in breathing. Obtain medical attention immediately.

**MEDICAL PERSONNEL:**

Monitor the victim for systemic secondary effects on liver and kidney functions. Support and treat as appropriate.

**SECTION 5. Fire-fighting measures**

Flash Point – 20°C/68°F

Boiling Point – 80°C/176°F

Extinguishing Media – Dry Chemical or Alcohol Type Foam, Carbon Dioxide

Be aware of the possibility of re-ignition. Keep containers and surroundings cool with water spray.

**Unusual Fire and Explosion Hazards –**

Class 3 Flammability. Vapor can travel a considerable distance to a source of ignition and flashback. Flashback can occur if air temperature exceeds flash point. Be aware the possibility of re-ignition.


**Special Fire Fighting Procedures –**

Handle as Flammable Liquid. Use Respiratory Protection. Wear full protective clothing for Fire Fighting Personnel.

**SECTION 6. Accidental release measures**

- Flush spills with water.
- Contain and absorb using soil, sand, or other inert material.





Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

- Vapor can accumulate in low areas. Consider the need for evacuation.
- Prevent the material from entering drains or water courses.

## SECTION 7. Handling and storage


- Eliminate all sources of ignition. Store away from heat.
- Store in well ventilated area.
- Handle as flammable liquid. Follow local, state and federal regulations.
- Avoid inhaling vapor. Avoid contact with eyes, skin and clothing.
- Wear eye protection if splashing is expected.
- Wear appropriate protective clothing.
- Use respirator if exposure level is high when handling bulk liquid.
- Keep container tightly closed when not in use.

## SECTION 8. Exposure controls/personal protection

- OSHA Occupation Exposure Standards PEL 400ppm (980mg/m<sup>3</sup>) 8h TWA
- UK EH40: OES 400ppm (980mg/m<sup>3</sup>) 8h TWA
- UK EH40: OES 500ppm (1225mg/m<sup>3</sup>) 15min TWA
- ACGIH: TLV 200ppm (980mg/m<sup>3</sup>) 8h TWA
- ACGIH: STEL 400ppm (1225mg/m<sup>3</sup>) 15min TWA
- Personal Protective Equipment
  - Gloves
  - Eye
  - Clothing

## SECTION 9. Physical and chemical properties

Appearance – Liquid Saturated Towelette / Pad / Swab  
Color – Clear



Corporate Headquarters  
 10 Glenshaw Street, Orangeburg, NY 10962  
 Tel: 845.365.8200 • Fax: 845.365.8201  
 Toll-Free: 888.DYNAREX

Odor – Alcohol  
 Vapor Density – 2.1 (Air = 1)  
 Viscosity (cSt) – 2.9 cps at <@2> °C

Evaporation Rate – Environmental Dependent  
 Water Solubility – Complete  
 Specific Gravity – 0.8405

**SECTION 10. Stability and reactivity**

Stability –	Stable under normal conditions
Conditions to Avoid –	None
Incompatibility –	None
Hazardous Decomposition or By-product –	Oxides of carbon
Polymerization –	Will Not Occur.


**SECTION 11. Toxicological information**

Acute Toxicity

- Low level of acute toxicity predicted.
- May be harmful by skin absorption.
- Oral LD50 (rat) 5045mg/kg.
- Dermal LD50 (rabbit) 12800mg/kg.
- Inhalation LCLO (rat) 1600ppm 4h.

Chronic Toxicity / Carcinogenicity

- Material not expected to cause long-term adverse health effects.
- Material not classifiable as to its carcinogenicity to humans (Group 3).
- Chronic / Sub-chronic studies resulted in adverse effects to:
  - Liver, spleen, biochemical effects, brain tissue degeneration, changes in reflex behavior, sensory nerve damage.



Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

### Genealogy Toxicity

- Material is not expected to cause any mutagenic effects.

### Reproductive / Developmental Toxicity

- Material is not expected to cause reproductive or developmental health effects.
- Experimental studies in animals have provided some evidence of embryo / fetus toxicity and birth defects only at does producing marked maternal toxicity.

## **SECTION 12. Ecological information**


- Mobility
- If released to soil, IPA is expected to have very high mobility
- Persistence / Degradability
- IPA is readily degraded in aerobic aqueous systems
- Bio-accumulation
  
- Low potential for bio-concentration in aquatic organisms

## **SECTION 13. Disposal considerations**

- Transfer into suitable containers for recovery or disposal.
- Dispose in accordance with all applicable local and national regulations.
- Do not remove labels from container until the container has been cleaned.
- Do not cut, puncture or weld on or near the container.
- Do not incinerate closed containers.
- Empty containers may contain hazardous residues

## **SECTION 14. Transport information**






Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

- DOT CFR 172.101
- Not regulated per 49 CFR 173.4 Small Quantity Exemption

## SECTION 15. Regulatory information

This product is compliant with the following:

- EU Label: Classification and labeling have been performed according to EU Directive 67/548/EEC and 99/45/EC including amendments
- EU Hazard Symbol and Indication of Danger
- F – Highly flammable
- Xi – Irritant
- R11 – Highly flammable
- R36 – Irritating to eyes
- R67 – Vapors may cause drowsiness and dizziness
- S2 – Keep out of reach of children
- S7 – Keep container tightly closed
- S16 – Keep away from sources of ignition – No smoking
- S24 / S25 – Avoid contact with skin and eyes
- S26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
- US (Federal and State) Regulations and International Chemical Registration Laws TSCA listing
- This product contains ingredients that are listed on or exempt from listing on the EPA Toxic Substance Control Act Chemical Inventory
- This product does not contain any chemicals subject to EPA Title III of the SARA Listing in Sections 302 and 304
- All ingredients in this product are listed on the European Inventory of Existing Commercial Chemical Substance (EINECS Listing) or are exempted from listing
- All ingredients in this product are listed on the Canada Domestic Substance List (DSL Listing)



Corporate Headquarters  
10 Glenshaw Street, Orangeburg, NY 10962  
Tel: 845.365.8200 • Fax: 845.365.8201  
Toll-Free: 888.DYNAREX

## SECTION 16. Other information

### Disclaimer:

This Safety Data Sheet, which takes into consideration the requirements of Directive 76/768/EC and subsequent amendments and Directive 1999/45/EC plus subsequent amendments, has been prepared in accordance with Directive (EC) 1907/2006. It is believed to be correct and corresponds to the latest scientific/technical knowledge but all data, instructions, recommendations and/or suggestions are made without guarantee. No warranty, expressed or implied, is made and Dynarex Corp. assumes no legal responsibility or liability resulting from its use.

